

Date of print: 2007-10-31  
Date of last alteration: 2007-10-31 - Version: English  
Art. -No., product name: **02247 direct mold putty, base + catalyst**

**DETAX****1 Identification of the substance / preparation and of the company / undertaking**

1.1 Identification of the substance or preparation:

1.1.1 Commercial Product Name: *direct mold putty*

1.1.2 Use: Silicone material for use in audiology.

1.2 Company / undertaking identification:

Manufacturer / distributor: DETAX GmbH & Co. KG

Street / POB-No.: Carl-Zeiss-Str. 4

State / postal code / city: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

**2 Composition / information on ingredients**

2.1 Chemical characterisation (preparation): Description: Contains polydimethylsiloxane with functional groups + fillers and pigment; catalyst additionally: platinum-complex compound.

**3 Hazards identification**

3.1 Critical hazards to man and environment: Unknown.

**4 First aid measures**

4.1 General information: Remove all contaminated clothing.

4.2 After inhalation: No special measures required.

4.3 After contact with the skin: Wash with plenty of water and soap. In case of persisting irritation seek medical advice.

4.4 After contact with the eyes: Rinse the open eyes immediately with plenty of water for at least 15 minutes, seek immediately medical advice.

4.5 After swallowing: Rinse mouth well with water and drink plenty of water. If you feel unwell, seek medical advice.

**5 Fire fighting measures**

5.1 Suitable extinguishing media: Water mist, dry powder, foam, carbon dioxide.

5.2 Extinguishing media which must not be used for safety reasons: Unknown.

5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases: Development of hydrogen may cause explosive hydrogen-air-mixtures.

5.4 Special protective equipment for fire fighting: Use respiratory protection independent of recirculated air. Accomplish decontamination by means of explosion-proofed equipment.

**6 Accidental release measures**

6.1 Personal precautions: No special precautions required.

6.2 Environmental precautions: Observe local byelaws. Keep away from sewage treatment plants and in-shore waters.

6.3 Methods for cleaning up: Remove mechanically or absorb with liquid binding material (sand, diatomaceous earth, sawdust) and dispose of according to regulations.

**7 Handling and storage**

7.1 Handling:

Precautions for safe handling: The usual precautions in handling with chemicals are to be observed. When using to not eat, drink or smoke.

Date of print: 2007-10-31  
 Date of last alteration: 2007-10-31 - Version: English  
 Art. -No., product name: **02247 direct mold putty, base + catalyst**



Precautions against fire and explosion: Take measures against static discharges. Keep away from sources of ignition - No smoking.

- 7.2 Storage:  
 Conditions for storage rooms and vessels: Store in a cool, dry and well-ventilated place. Keep containers always tightly closed. Provide for sufficient ventilation.  
 Advice for storage of incompatible materials: Keep away from acids, lyes, alcohols, metallic powders resp. metallic oxides.  
 Further information for storage: Keep at temperature not exceeding 25 °C / 77 °F. Keep away from humidity.

**8 Exposure controls / personal protection**

- 8.1 Further information for system design and engineering measures: No further information.  
 8.2 Associate substance with specific control parameters such as limit values: No associated substances.  
 8.3 Personal protection equipment:  
 General protection and hygiene measures: The usual precautions in handling with chemicals are to be observed.  
 Respiratory protection: Not required.  
 Hand protection: Protective gloves are recommended (such as gloves of nitrile rubber, but never use latex gloves!).  
 Eye protection: To avoid mechanical injuring of the eyes wear protective goggles.

**9 Physical and chemical properties**

- 9.1 Appearance:  
 Form: paste  
 Colour: base: beige • catalyst: white  
 Odour: faintly typical
- 9.2 Safety parameters: Method (67 / 548 / EC)
- |   |   |   |            |
|---|---|---|------------|
| Flash point .....                         | = | > 100 °C/212 °F   | DIN 51755  |
| Inflammability .....                      | : | not available   |            |
| Ignition temperature .....                | = | > 400 °C/752 °F   | DIN 51794  |
| Autoflammability.....                     | : | not available   |            |
| Oxidising properties .....                | = | Increased temperatures advance the release of hydrogen. |            |
| Explosive properties.....                 | : | not available   |            |
| Explosion limits .....                    | : | not available   |            |
| Vapour pressure .....                     | = | < 20 hPa at 20 °C/68 °F                                 |            |
| Density .....                             | = | approx. 1.29 g/cm <sup>3</sup> at 20 °C/68 °F           | DIN 51757  |
| Solubility in water .....                 | = | virtually insoluble                                     |            |
| pH-value.....                             | : | n.a.  |            |
| Distribution coefficient octanol / water: |   | not available   |            |
| Viscosity .....                           | = | approx. 1.2 Mio. mPa.s at 23 °C/73 °F                   | Brookfield |
- 9.3 Further information:  
 Thermal decomposition .....
- |                             |   |                 |  |
|-----------------------------|---|-----------------|--|
| Thermal decomposition ..... | = | > 180 °C/356 °F |  |
|-----------------------------|---|-----------------|--|

**10 Stability and reactivity**

- 10.1 Conditions to avoid: Temperatures > 150 °C/302 °F.  
 10.2 Materials to avoid: Acids, lyes, alcohols, metallic powders resp. metallic oxides.  
 10.3 Hazardous decomposition products: In case of thermic decomposition hydrogen is released. At a temperature of approx. 150 °C/302 °F a small amount of formaldehyde can be released by oxidative degradation.

Date of print: 2007-10-31  
 Date of last alteration: 2007-10-31 - Version: English  
 Art. -No., product name: **02247 direct mold putty, base + catalyst**

**DETAX****11 Toxicological information**

- 11.0 General information: According to present experience, the material shows no health risk if handled appropriately.
- 11.1 Acute toxicity:  
 Acute oral toxicity (LD<sub>50</sub>): species rat > 5000 mg/kg  
 origin literature  
 these data refer to the polydimethylsiloxane components.

**12 Ecological information**

- 12.1 Information on elimination (persistence and degradability):  
 No data known.
- 12.2 Behaviour in environmental compartments: No data known.
- 12.3 Ecotoxicological effects:  
 Effects in sewage treatment plants (bacteria toxicity: respiration-/reproduction inhibition):  
 Do not introduce large amounts into purification plants.

**13 Disposal considerations**

- 13.1 Material: Recommendation: Dispose of according to regulations by incineration in a special waste incinerator.  
 Observe the local byelaws.  
 European Waste Catalogue Ref.No.: 07 02 17 (AVV)
- 13.2 Contaminated packaging: Recommendation: Fully empty containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used.  
 Observe local/national byelaws.

**14 Transportation information**

- 14.1 Land transportation ADR/RDI and GGVS/GGVE:  
 GGVS/GGVE-class..... : Non-hazardous material  
 ADR/RID-class..... : Non-hazardous material  
 Transportation emergency card number:  
 Warning board - Hazard No.:  
 Nomenclature..... :  
 Further information..... :  
 Limited Quantities ..... :
- 14.2 Inland navigation ADN/ADNR:  
 Further information: Non-hazardous material
- 14.3 Transportation by sea IMDG/GGVsea:  
 IMDG/GGVsea-class .. : Non-hazardous material  
 EmS-No..... :  
 Marine pollutant ..... :  
 Proper shipping name.. :  
 Technical name..... :  
 LTD. QTY..... :
- 14.4 Air transportation ICAO-TI and IATA-DGR transportation by air:  
 ICAO/IATA-class..... : Non-hazardous material  
 Proper shipping name.. :  
 Technical name..... :  
 Further information:  
 Air mail transportation ..: permitted

Date of print: 2007-10-31

Date of last alteration: 2007-10-31 - Version: English

**DETAX**Art. -No., product name: **02247 direct mold putty, base + catalyst****15 Regulatory information**

## 15.1 Identification according to EC directives

Identification letter and hazard indication of the product:

According to the Regulations for Hazardous Goods and the corresponding EC-Guidelines the product is not to be labelled.

## 15.2 National regulations (Germany):

Classification of possible adverse effects in the aquatic environment (Wassergefährdungsklasse):

Class 1 (slight adverse effects in the aquatic environment).

**16 Other information**

n.a. = not applicable

n.s. = not subject to

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations.